



February 10, 2016

Jeffery Groff
Laboratory Certification Program Manager
Colorado Department of Public Health and Environment

RE: Complaint Investigation Onsite Inspection Report

Dear Mr. Groff,

On January 27, 2016 the Colorado Bureau Investigation Forensic Services Section (CBI-FS) received a written onsite complaint inspection report. This and accompanying documents will address the listed findings in the inspection report.

Finding: B.4.a. Specimen receiving.

Response: Please see document: Corrective Action Report titled Labeling of Blood Vials.

Finding: B.4.o. Recording and reporting assay results.

Response: Please see document: Corrective Action Report titled Reporting.

Finding: B.4.s. Current step-by-step instructions with sufficient detail to perform the assay to include equipment operation and any abbreviated versions used by the testing analyst(s).

Response: Please see document: Corrective Action Report titled Variability of Alcohol Results.

The documents attached and the information provided during your onsite inspection, represents the CBI-FS's response to the CDPHE Onsite Inspection Report. Please contact us for anything additional you may require.

Clinton S. Thomason
Director of Quality Operations
Colorado Bureau of Investigation

Dan Anderson
Toxicology Program Manager
Colorado Bureau of Investigation

Attachments: Three Corrective Actions, TOX 10-10, TOX 04,

